



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

1. Identification

Product identifier Daly's Kitchen Wood Treatment™

Other means of identification

SDS number 11

Synonyms 154204

Recommended use Not available.

Recommended restrictions Not available.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Daly's Wood Finishing Products

4522 S 133rd Street

Tukwila, WA 98168

General Assistance 206-244-8844 Toll Free (800) 727-9694

E-Mail Not available.

Contact Person Not available.

Emergency Telephone Chemtrec (800)424-9300

2. Hazard(s) Identification

OSHA/HCS status This material is not considered as hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture Not classified.

Label elements

Signal word No signal word.

Hazard statement No known significant effects or health hazards.

Precautionary statement

Prevention None.

Response None.

Storage None.

Disposal None.

Hazard(s) not otherwise classified (HNOC) None known.



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

3. Composition/information on ingredients

Mixtures

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
Mineral oil	8042-47-5	70

4. First-aid measures

Inhalation	Move individual to fresh air. If breathing has stopped, apply artificial respiration. Get medical attention immediately.
Skin contact	Wash area with soap and water.
Eye contact	Wash with clean water for at least fifteen minutes; get medical attention.
Ingestion	Not applicable.
Most important symptoms/effects, acute and delayed	May cause redness, irritation of eye. Inhalation of hot oil mist could cause possible minor respiratory discomfort.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. In case of shortness of breath, give oxygen. Keep victim warm.
General information	If exposed or concerned: get medical attention/advice. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use.

5. Fire-fighting measures

Suitable extinguishing media	CO ₂ , dry chemical, foam, water fog.
Unsuitable extinguishing media	None.
Specific hazards arising from the chemical	None known.
Special protective equipment and special firefighting procedures	Fight as a volatile fire; do not enter enclosed or confined fire spaces without proper protective equipment. This may include self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective	Keep unnecessary personnel away. Keep people away from and
---	--



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

equipment and emergency procedures

upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Environmental Precautions Methods and materials for containment and cleaning up

Avoid discharge into drains, water courses or onto the ground. Provide ventilation. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Soak up spill with absorbent material. Rags and absorbent material should be immersed in water. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Read and observe all precautions on label. Use only with adequate ventilation. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage

KEEP OUT OF REACH OF CHILDREN. Store locked up. Store in original container; keep tightly closed and appropriately labeled. Do not reuse container for other purposes. Store away from high temperature, sparks, or open flame.

Incompatible materials

Avoid strong oxidizing agents.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value
Mineral oil	PEL(TWA)	5 mg/m ³

Components	Type	Value
Mineral oil	PEL(TWA)	5 mg/m ³

US. OSHA Table Z-2 (29 CFR 1910.1000)

None of the components in this product is listed.

US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the components in this product is listed.



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

US. ACGIH Threshold Limit Values

Components	Type	Value
Mineral oil	TLV(TWA)	5 mg/m ³ (inhalable fraction)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Mineral oil	REL(TWA)	5 mg/m ³
	REL(STEL)	10 mg/m ³

Appropriate engineering controls Provide adequate general and local exhaust ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles or safety glasses, if eye contact is likely or face shield.

Skin protection

Hand protection

None needed with normal use.

Other

Wear impervious protective clothing. Eyewash station should be available.

Respiratory protection

None normally needed.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Avoid contact with eyes. Avoid contact with skin. Keep away from food and drink. Keep work area clean and free from spills and leaks. Wash hands before breaks and immediately after handling the product. Provide eyewash station and safety shower. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance	Clear paste.
Physical state	Paste
Form	Pasty.
Color	Colorless.
Odor	Odorless.
Odor threshold	Not available.
pH	Not available.
Melting point	Not available.
Freezing point	Not available.
Initial boiling point and boiling range	575 °F
Flash point	360 °F
% Volatile by Volume	0 %
Evaporation rate (BuOAc=1)	<1.
Maximum Volatile Organic Compound	None.



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

(V.O.C.)

Flammability (solid, liquid, gas)	Non flammable.
Upper/lower flammability or explosive limits	
Flammability limit – lower (%)	Not available.
Flammability limit – upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure (mm Hg)	<0.01
Vapor density (Air=1)	>16
Relative density (Specific gravity)	0.87
Solubility(ies)	
Solubility (water)	Insoluble in water.
Solubility (other)	Soluble in petroleum solvents.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	Product is stable.
Chemical stability	Stable under recommended handling and storage conditions.
Possibility of hazardous reactions	Hazardous polymerization will not occur.
Conditions to avoid	None known.
Incompatible materials	Avoid strong oxidizing agents.
Hazardous decomposition Products	Usual products of combustion CO, CO ₂ .

11. Toxicological information

Information on likely routes of exposure

Ingestion	None known.
Inhalation	Hot oil mist could cause possible minor respiratory discomfort.
Skin contact	None known.
Eye contact	May cause redness, irritation.
Symptoms related to the physical, chemical and toxicological characteristics	May cause redness, irritation of eye. Inhalation of Hot oil mist could cause possible minor respiratory discomfort.
Delayed and immediate effects and also chronic effects from short- and long-term exposure	None known.



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

Numerical measures of toxicity

Components	Test	Species	Test Results
Mineral oil (CAS 8042-47-5)	Oral LD ₅₀	Rat	>5000 mg/kg
	Dermal LD ₅₀	Rabbit	>2000 mg/kg
	Inhalation LC ₅₀	Rat	>5 mg/l, 4h
Refined wax (CAS 64742-43-4)	Oral LD ₅₀	Rat	>5000 mg/kg
	Dermal LD ₅₀	Rabbit	>2000 mg/kg

Skin corrosion/irritation	No data available
Serious eye damage/eye irritation	No data available.
Respiratory or skin sensitization	
Respiratory sensitization	No data available.
Skin sensitization	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.
Reproductive toxicity	No data available.
Specific target organ toxicity - single exposure	No data available.
Specific target organ toxicity - repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Numerical measures of toxicity

Components	Test	Species	Test Results
Mineral oil (CAS 8042-47-5)	Fish LC ₅₀	Rainbow trout (<i>Oncorhynchus mykiss</i>)	≥100 mg/l, 96h
	Crustacea EC ₅₀	Water flea (<i>Daphnia magna</i>)	≥100 mg/l, 48h

Persistence and degradability	No information available.
Bioaccumulative potential	No information available.
Mobility in soil	No information available.
Other adverse effects	No information available.

13. Disposal considerations

Disposal instructions	Dispose in accordance with all applicable federal, state and local regulations. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container; dispose of this
------------------------------	---



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

US State regulations

US. New Jersey Worker and Community Right-to-Know Act

None of the chemicals in this product is listed.

US. Pennsylvania Worker and Community Right-to-Know Law

None of the chemicals in this product is listed.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

None of the chemicals in this product is listed.

International Inventories


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non- Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-10-2001
Revision date 12-17-2015
Version # 01
NFPA rating



References

ACGIH: Documentation of the Threshold Limit Values and Biological Exposure indices
ECHA: European Chemicals Agency
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
NIOSH: The National Institute for Occupational Safety and Health
NTP: National Toxicology Program



SAFETY DATA SHEET

DALY'S KITCHEN WOOD TREATMENT™

Revised Date: 12-17-2015

Supersedes: 01-10-2001

NLM: Hazardous Substances Data Base
OECD : Organization for Economic Co-operation and
Development
OSHA: Occupational Safety and Health Administration

Disclaimer

The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of use, or because of applicable laws or government regulations. All materials may present unknown hazards and should be used with caution.